




# **Dyna-70 Ultimate Upgrade For ST-70's**



## **Manual Bias**

# **Assembly Manual, v1.0**

© 2023 All Rights Reserved  
Miller Audio LLC  
March 2023

# Dyna-70 Ultimate Upgrade

The "Ultimate" Dynaco ST-70 Upgrade Kit with Manual Bias

## ASSEMBLY, INSTALLATION & OPERATION

### A. INTRODUCTION

Thank you for purchasing our Dyna-70 "Ultimate" ST-70 upgrade kit. The Dyna-70 Ultimate Upgrade will radically improve how your stock ST-70 sounds. In bringing this Made in the U.S.A. classic tube amplifier up to modern design standards, it will reward you with an amazing listening experience! You will not believe how great your ST-70 will sound (even as good as a stock ST-70 sounds); you will fall in love with your ST-70 all over again!

The Dyna-70 Ultimate Upgrade is based on the 6CA7 / EL34 power tube. If you have a good set of 6CA7 / EL34 tubes in your original ST-70, they will work fine with the Dyna-70 Ultimate Upgrade. We recommend that you stay within the 6CA7 / EL34 tube group. The B+, Cathode and Plate voltage levels in our driver circuits are optimized to suit 6CA7 / EL34 tubes. We DO NOT endorse use of other tube types (6L6, KT66, KT88, etc.) with the Dyna-70 Ultimate Upgrade. Use of any other tubes will void the warranty of the upgrade kit.

Successful operation of the Dyna-70 Ultimate Upgrade assumes that all your transformers are in good condition, to include the C-354 power supply choke. These chokes are commonly found having experienced thermal stress over the years, where the wax used for sealing is melted and found on the bottom cover. Should you need to replace the C-354 choke, we recommend use of the Dynakit Parts C-354, which feature bell end covers that enclose the coil, providing a modest reduction in RF-noise and ensures no leakage. The Triode Electronics C-354 is another option.

Our kit was developed and tested using the third generation of the Dynaco PA-060 power transformer with a lamination stack of approximately 2 inches in height. DO NOT use a first or second-generation PA-060 transformer that has a stack height of 1.0 or 1-1/2 inches. These early versions of the PA-060 will get too hot due to the higher current load of the 6SN7 filaments. If your ST-70 has a first or second-generation PA-060, you MUST replace with the latest generation PA-060 transformer from Dynakit Parts or Triode Electronics.

NOTE: With the Dyna-70 Ultimate Upgrade kit we integrated a modern, solid-state rectifier on the Dyna-70 CCA, eliminating the rectifier tube. The 5V AC filament winding for the rectifier tube is not used with our upgrade, reducing power demand on the PA-060 power transformer; it will operate cooler than earlier generations of PA-060 Power Transformers.

Finally, we use quality, name brand components from manufacturers such as Nichicon, United ChemCon, Panasonic, Wima, Solen and Audyn. We source our parts from Mouser, Digi-Key, CE Distribution, Dynakit Parts and other reputable U.S. suppliers; you can trust all parts are genuine and not counterfeit components.

Purchase, assembly, and use of this audio upgrade assumes the builder/integrator of the Dyna-70 Ultimate Upgrade has experience and knowledge of working with tube amplifiers. This kit rates on a "medium" scale of assembly complexity; it should be stressed **this is not a beginner's kit.**

- ***Be EXTREMELY careful when working with a live amplifier, the high voltages are LETHAL!***
- ***You are working with 720V AC & 400V DC voltage – exercise EXTREME caution, use only one hand!***
- ***The exposed metal on top of all the electrolytic capacitors is hot with high voltage, DO NOT TOUCH!***
- ***Always use the Tube Cage!***

## **B. ABOUT THIS MANUAL**

This manual provides information needed to assemble, test, and operate the Miller Audio LLC Dyna-70 Ultimate Upgrade kit, transforming a stock Dynaco ST-70 into a superior sounding push-pull amplifier based on the EL34 tube. We recommend that you also have available the original Dynaco ST-70 Assembly Manual for reference.

**Who Should Attempt this Project?** You can build this kit if you can:

- Solder (using normal rosin core solder for electronics and a temperature-controlled soldering iron).
- Use simple hand tools like screwdrivers, wire cutters, and pliers.
- Read and follow directions.
- Use a methodical approach to assembly, checking all part values for correct value and polarity.
- Remember to check everything – two or three times! Ensure you are using the correct value and check it again.
- Keep a checklist of each item installed (Use our kit parts list supplied in this manual).
- Inspect your work.
- Have a friend, who builds electronics also check your work (multiple heads and eyes help to minimize errors).

**Tools Needed:**

- Phillips screwdriver (#1 and #2)
- Slotted screwdriver (#1 & #2)
- Pliers, wrenches, sockets, or nut drivers suitable for #4 (4-40), #6 (6-32) and #8 (8-32) hardware
- Needle nose pliers
- Pencil type soldering iron of 40 to 50 Watts (we recommend commercial soldering systems such as Oki or Metcal)
- Wire cutters and Wire strippers (24 ga. to 18 ga. solid and stranded copper wire)
- You MUST use a digital multi-meter to measure voltages and confirm resistor values

**The amplifier upgrade consists of the following steps:**

- Preparation of your ST-70 for the Dyna-70 Ultimate Upgrade installation
- Assembly of the Dyna-70 driver printed circuit board.
- Installing the Dyna-70 Ultimate Upgrade CCA into the ST-70 amplifier.
- Optional: Installation of the Auto Bias Module
- Final test of installation, setting bias (manual bias version), checking B+ voltage.

**Important Safety Notes**

*By purchasing, using, or assembling this kit, you have agreed to hold Miller Audio LLC harmless for any injuries you may receive in its assembly and/or use. To prevent injuries:*

- Wear safety glasses when soldering or clipping wires to prevent eye injuries.
- Always unplug the power before working on the amplifier. Large capacitors hold energy for a long time.
- Before you put your hands into the amplifier:
  - o Cut all power to amplifier by pulling the AC plug from the wall - do not depend on the power switch!
  - o Wait at least 5 minutes for the capacitors to discharge!
- Remove jewelry, watches and rings from your hands and wrists, or anything that might dangle into the amplifier.
- If working on the equipment with the power on, keep one hand in your pocket, especially if you are near the power supply or power supply wires. This can prevent serious shocks.
- Build with a friend nearby- if you ignored all the previous advice, they could dial 911 or get you to a hospital.

**About Design and Components Used**

Miller Audio LLC reserves the right to make changes in design, components, component substitutions or assembly processes, procedures, and instructions at any time without notification. Watch for notices and updates on our website.

**Guarantee**

Except for fuses and vacuum tubes, Miller Audio LLC will replace any parts of a correctly assembled product that fails within 90 days of purchase. It is the responsibility of the kit builder to install the replacement part(s). This guarantee applies to the original kit purchaser only. It does not apply to units that have been physically or electrically abused,

modified without authorization, or assembled with any solder other than 60/40 or 63/37 Rosin Core solder. Miller Audio LLC's liability shall in no event exceed the cost paid to Miller Audio LLC for the Dyna-70 Ultimate Upgrade kit.

### Kit Building Hints

Please take a minute and read the advice of this section. We have condensed into bullets if in a hurry:

- Stop any time you are feeling tired, confused, or anxious. Taking breaks will keep the build enjoyable and enhance your chances of first-time success.
- A digital ohmmeter is an effortless way to check that you have selected the right resistor. It is a great cross-check on the resistor color code. Measure twice - solder once!
- A lead-bending jig can make for quicker, neater assembly
- Is something in this manual confusing, or did you find an error? Send your questions & comments to [info@milleraudiollc.com](mailto:info@milleraudiollc.com). You will help yourself and everyone who builds a Dyna-70 Ultimate Upgrade kit.

## C. RECOMMENDED TOOLS & MATERIALS


### Solder, Soldering Irons and Soldering Technique

A major issue encountered when customers build their own kits is poor soldering. In fact, most repairs in kit-built systems are due to poor soldering. We cannot stress enough: good soldering skills are a MUST! We are assembling a system that requires high voltage and current for stable operation and best sound quality; it is vital that each solder joint is as near perfect as possible. Avoid cold solder joints, improperly "wetted" joints that do not "fuse" together well, and properly strip and tin each wire before soldering to its assigned terminal.

We recommend use of temperature-controlled soldering irons from brands such as Oki, Metcal, Weller or Hakko. You should have a collection of tips ranging from small to medium size. DO NOT waste time or money using inexpensive, general-purpose, single-temperature soldering irons- you will damage the CCA and components.

Only use lead-based solder with a rosin core made for soldering electronic components. Ensure rosin is NOT an acid-type used for joining sheet-metal or stained glass came. DO NOT waste your time with unleaded solder. Use Kester 60/40 lead solder in several sizes (0.020" - 0.030" diameter), however 63/37 is an acceptable alternative and can be mixed in use with 60/40 solder.

If you have not soldered in a while, we recommend that you buy some inexpensive general purpose experimental PCB (aka "Perf Board") from eBay, Parts Express, or Jameco Electronics along with a bag full of resistors, and practice your soldering skills before you start building this kit. If you have never soldered before, **PLEASE STOP NOW, this is not a beginner's kit!**




#### **D. ST-70 UPGRADE PREPARATION**

You will remove most internal components of an original ST-70. This is an opportune time to clean/polish the Nickel-plated steel chassis, as well as clean and repaint of your transformers. If your chassis is pitted, rusty or has discolorations to the Nickel plating, this is a good time to consider replacing the chassis since you will likely remove all transformers and most all other items that attach to the chassis “while you are in there” (WYAIT- pronounced “Wyatt”). This is entirely up to you, but if you have any doubts, we recommend you replace the chassis. Just look at new ST-70 builds, or our pics in this manual or on our website. One does not want to have a premier sounding amplifier, which does not look premier as well.




**An Original ST-70 with a first-generation PA-060 Power Transformer**

Remove the Tube Cage, tubes, and the bottom chassis cover. Place your ST-70 upside down and proceed to next page.



Typical Internal View of an Original Dynaco ST-70




Remove All Parts Marked with a **Red X**

Use the above photo as a guide to remove parts not required for the Dyna-70 Ultimate Upgrade

1. Remove the two electrolytic capacitors that solder to the terminal strip and are colored Blue (branded caps were Red, Yellow, Green, or even an aluminum can with clear shrink and printed markings) in the above photo. These


are caps used for the negative voltage bias power supply, and no longer needed in the Dyna-70 Ultimate Upgrade.

2. Remove the two resistors soldered to the same terminal strip.
3. Remove the terminal strip and disconnect all the wires going to it. Do not cut the green/yellow and brown/yellow wires short. Just disconnect them from the terminal strip and leave them. You will replace the old terminal strip and the ceramic disc capacitor with the new ones that we supply with the kit.  
**NOTE: you will need to remove the left output transformer (OPT) to remove the screws for the terminal strip!** If you do not want to have to remove the left OPT, you can leave the original terminal strip in place but remove all the wires, resistors, and the ceramic capacitor.
4. Remove the two bias adjust potentiometers (just below the PA-060 power transformer) and all the wires going to the potentiometers.
5. Remove the selenium rectifier used for the negative voltage bias power supply, and all wires going to it.
6. Remove the 5AR4/GZ34 rectifier tube socket located to the right of the bias potentiometers in the above photo. Disconnect all wires that attach to the rectifier socket. DO NOT cut them short or cut them off. Unsolder all wires from the rectifier terminals on the rectifier socket.
7. To remove the multi-section Capacitor can, first remove all resistors soldered to terminals. Then remove all the wires soldered to the cap can. Disconnect the two red and two brown wires- DO NOT cut them short or cut them off!
8. Remove the 2 white 15.6-ohm resistors, located between pins 1 & 8 and the tube socket ground terminal from power tube sockets V2 & V7.
9. Remove the resistors from each power tube socket (V2, V3, V6 & V7) between pins 5 & 6.
10. Remove all the wires going to the original ST-70 PC-3 driver CCA, as well as the RCA signal input sockets, the MONO/STEREO switch, and the two front octal sockets.  
(NOTE: The MONO/STEREO switch will no longer function. We recommend you leave in-place for appearance purposes).
11. Disconnect the green/white and the blue/white output transformer (OPT) wires from the power tube sockets V2 & V7 that are connected to pins 3 & 4. These will need to be rerouted to the sockets of V3 and V6 and spliced and lengthened.
12. Disconnect the green and blue OPT wires from the power tube sockets V3 & V6 that are connected to pins 3 & 4.  
**These will need to be rerouted to the sockets of V2 and V7.**
13. Leave the two green filament wires going to power tube socket V3 on pins 2 & 7.
14. Leave the two brown filament wires going to power tube socket V7 on pins 2 & 7.
15. Leave the two filament interconnecting wires between V2 and V3 on pins 2 & 7, and V6 & V7 on pins 2 & 7.
16. Remove the power cord and discard. After 40+ years the insulation has dried out and prone to cracking. The Dyna-70 Ultimate Upgrade kit includes a new power cord.
17. Leave the speaker output wires connected to the speaker terminals including the wire connected from the ground speaker terminal to the chassis star ground UNLESS you intend to replace the old speaker terminals with new ones, are removing to paint the transformers, or replacing the chassis.
18. Leave the power switch in but disconnect both wires going to it.
19. Leave the fuse holder in but disconnect the wires going to both tabs.
20. Now install the four aluminum spacers using #4-40 1/4 inch long screws from the kit as shown in the following photo. These will mount the Dyna-70 Circuit Card Assembly (CCA) to the ST-70 chassis



**Dyna-70 Manual Bias CCA Mounting Stand-Offs**

We recommend that you clean all terminals on the remaining tube sockets, power switch, fuse holder and terminal strip after you have removed all wires and resistors. This can be a tedious job but will make soldering new wires and components easier and neater. We recommend use of both a solder sucker and solder wick / braid to facilitate clean-up of all terminals.



**ST-70 Underside After Component Deletion**

NOTE: We have left the heater filament interconnect wires between V2 & V3, pins 2 & 7, as well as between V6 & V7, pins 2 & 7 (colored black in photo above). Those are the ONLY wires left from the original wiring. Note that we disconnected the output Transformer wires as we are replacing the old speaker terminals with new ones. We also mounted the new terminal strip for the center tap grounds for the filament heaters. At this point we removed the



output transformers on our demonstration ST-70 and repainted the covers and the lamination stack and replaced the fasteners and red fiber washer.

### **E. DYNA-70 ULTIMATE UPGRADE CIRCUIT CARD ASSEMBLY (CCA)**

Start with all low-profile components and work your way up in size. This makes soldering easier. Note the orientation of the electrolytic capacitors; ensure you get the polarities correct. Also note the polarities of the bias supply diode as well as the two rectifier diodes and ensure their polarities are correct. For the PCB mounted electrolytic caps, note that ALL of them have the negative lead facing the rear of the PCB (towards the transformers)- a simple and easy way to check that they are in correct orientation/polarization.


NOTE on R B+: The kit includes three different resistor values for R B+; these are packaged together for easy ID. The resistor values are 2.2K, 3.3K and 4.3K, and all are 3W. You will need to choose the correct R B+ resistor value, depending on your household main AC supply voltage, which may vary from 115V to 125V, depending on your power provider. If your house AC line voltage is 115-118VAC, **use the 2.2K resistor**; around **118-122VAC use the 3.3K resistor**, and for **122-125VAC use the 4.3K resistor**. The ideal B+ voltage is around 370-380 VDC. The above indicated voltages are an approximation, you may need to fine tune the value of R B+. You can leave R B+ out for now, or if you know what your household AC supply level is, install the appropriate value for R B+.

It is important to note that U1/U1L (LM-334) have been relocated to the bottom side of the PCB to shield them from tube heating. Additionally, kits shipped after June 2023 include a set of TO-92 heat sinks and thermal paste to aid on temperature stabilization of the LM-334. When installing the relocated LM-334 you must maintain the correct polarity. Here is an easy way to determine orientation: Observe that the topside of the PCB has the flat sides of both LM-334's facing to the right side of the PCB (i.e., towards the 3 o'clock position). When installing the LM-334's from the backside of the PCB, you now will orient the flat side of the LM-334's to face to the left side of the PCB (i.e., towards the 9 o'clock position) when viewing the bottom of the PCB. We suggest you review ECN001 which has been included in this manual.

Note: If you chose to use PIO coupling capacitors, leave a small space between the body of the capacitor and the CCA. These capacitors have a metal body, and we do not want the body too short to the CCA. We recommend that you use heat shrink to insulate the PIO capacitors. The heat shrink and PIO caps are not included in the kit!



Other than the spacing for PIO coupling capacitors, assembly of the CCA is straight forward and simple. Use a capacitance meter and a digital VOM multimeter to ensure that all component values are verified before installing in the CCA. Again, we stress the importance of GOOD SOLDERING!



**A Dyna-70 Ultimate Upgrade Manual Bias CCA w/ Optional PIO Coupling Capacitors**

**Wiring & Installing the Dyna-70 Ultimate Upgrade Circuit Card Assembly (CCA)**

To make it easier to wire up the CCA, we recommend that all the power supply wires be pre-soldered to the CCA as these wires will need to be spliced as the original wires from the PA-060 power transformer and the power supply choke are too short to reach the new CCA. We have included 18-gauge wires and heat shrink to make the job of splicing the wires easy for you. You will find the following 18-gauge colored wires in the kit: brown, green, yellow, orange, red, blue, black & purple.


You will see a row of solder pads along the top edge, middle and bottom of the CCA for the power supply and other connections marked OPT B+, CHOKE, GND, HV AC, BIAS and inputs. Cut each of the following wires to 5"/127 mm lengths, strip both ends about 0.2"/5 mm and tin with solder: four red, two brown, two black and one purple wire.

**Install all wires on the bottom side of the CCA, then Solder these wires from the top of the PCB.**

21. Solder a red wire each into the following pads: OPT B+ (x2) and HV AC (x2).
22. Solder a brown wire each into the following pads: CHOKE (x2).
23. Solder one purple wire into the BIAS pad.
24. Solder a black wire each into the GND pad.

There are also four smaller -pads at the bottom edge of the CCA, one pair marked +L IN- and one pair marked -R IN+. These are the left and right inputs for the driver circuit. In the kit you will find two short lengths of pre-twisted 24-gauge hookup wires, one green/white and one red/white. Cut each pair of pre-twisted wires to 2"/50 mm length, strip one end and pre-tin with solder.

25. a- Use the green/white pair for the left channel. Solder the green wire in the +L pad and the white in the IN- pad of the +L IN- pair of pads.
- b- Use the red/white pair for the right channel. Solder the red wire in the IN+ pad and the white in the -R pad of the -R IN+ pair of pads.




You can now install the CCA on the top of the chassis onto the four aluminum spacers. Pass the wires through the holes in the chassis which were left when the rectifier and cap can were removed. Use the closest available hole for each wire. Fasten the CCA into place using the included 4-40 pan head screws. All wires attached to the CCA now need to be connected.


26. Start with the two Red OPT B+ CCA wires. These need to be spliced to the red OPT primary center tap wire. It does not matter which of the two red CCA wires goes to which OPT red wire. Start off with a clean end of each OPT red wire, trim off any old, exposed wire, and strip a new length of 0.2"/5mm. Now these wires may have oxidized over the years, they will be quite dark and tarnished. Use fine sandpaper and clean the tarnish off the end leaving a nice, clean surface. Pre-tin each stripped lead with solder. Next cut two 3/4"/19mm pieces of shrink tubing and slide one each over the read OPT B+ wires from the CCA. Neatly route the OPT red wires to the two red OPT B+ wires and trim each red wire to the required length. Solder each joint neatly, making sure you do not end up with a dry joint. Slip the shrink tubing over the joint and shrink it tight by applying heat. Use the same method of trimming and cleaning the ends of all the original wires and pre-tinning them with solder, and then cut a piece of 3/4"/19mm piece of shrink tubing for each additional wire joint.
27. Next do the same with the two brown CHOKE CCA wires. Neatly route the two brown wires from the power supply choke to the brown CCA wires and connect each as described above. You can twist these to make it neater.
28. Again, do the same for the two red HV AC wires, and with these you MUST TWIST them. Also twist the two red wires from the power transformer and connect each as described above. Because these are AC, it does not matter which red CCA wire goes to which red power transformer wire.
29. Connect the black GND CCA wire to the chassis star ground.
30. Connect the purple BIAS CCA wire to the or Red/Black bias wire from the PA-060, as described in Step 26.
31. There is a red/yellow wire from the PA060 transformer, the center tap of the secondary winding, and this is soldered to the chassis star ground.
32. There two 0.022uF film capacitors with the kit (sometimes green, brown, or orange). These are soldered to the terminal strip; solder each capacitor as shown in the following photo (next page).
33. There are a brown/yellow and a green/yellow wire coming from the power transformer. These are the center taps for each of the two 6.3VAC filament windings.
  - a- connect the brown/yellow to one leg of one of the 0.022uF capacitor.
  - b- connect the green/yellow to one leg of one of the other 0.022uF capacitor.
 Note, that the center terminal is also the mounting terminal, so it will be grounded to the chassis. Refer to the photo below for details.



34. Now connect those short lengths of the 24-gauge pre-twisted wires. Trim to length.
- a- connect the red/white to the right RCA jack, the red to the RCA center tab, and the white to the RCA ground terminal.
  - b- connect the green/white to the left RCA jack, the green to the RCA center tab, and the white to the RCA ground terminal.



35. With the elimination of the tube rectifier, there are two white wires from the PA-060 power transformer, which are not used. Trim the ends and slip a length of heat shrink tubing about halfway over the lead ends. Heat the heat shrink; once it has shrunk, pinch the top half of the tube to close it off. See photo below. These two white wires can be folded together tied off neatly.



Now we start with the remaining wiring to the CCA and tube sockets as well as installing resistors. As previously mentioned, we need to reroute the green/white, the blue/white, blue, and green wires from the OPT primaries to different tube sockets. The reason is that we designed the layout of our CCA to look neat and orderly, which resulted in having to reroute those wires. As luck would have it, you only need to splice one set each of green/white and blue/white wires, namely the ones that connect to socket V3. The other green/white and blue/white wires are just long enough to reach socket V6 whereas the blue and the green wires that were going to sockets V2 and V7 need to be trimmed even shorter.




36. There are four 10 OHM 3W resistors, R-BIAS 1 to R-BIAS4, in the kit. Make sure that pins 1 & 8 are connected on each tube socket, V2, V3 and V6 & V7. **NOTE: Pins 1 & 8 should have a link between them for EACH power tube socket!**

a- Connect one 10 OHM resistor on each tube socket, V2, V3 and V6 & V7, from pin 1 or 8, to chassis ground. If you are using the original Dynaco tube sockets, they should have small tags as part of the metal socket retaining ring. Solder the other end of each 10 OHM resistor to one of those tags. That is the ground connection. See photo below.



37. There should also be four 1K 1W resistors in the kit.

a- Connect one 1K resistor on each tube socket, V2, V3 and V6 & V7, between pins 5 & 6. See photo below.



38. Now start with the left OPT transformer wiring. Cut one piece each of green and blue wire 4"/100mm long. Strip one end and pre-tin with solder.

a- Splice the green wire to the green/white left OPT wire, and the blue wire to the blue/white left OPT wire.

b- Twist the spliced wires to make them neater, and route them neatly to socket V3 and trim as required.

c- Connect the green (green/white) wire to pin 4 of V3 and connect the blue (blue/white) wire to pin 3 of V3.

39. Take the left OPT blue and green wires. Twist them for neatness and route them neatly to socket V2. Trim them shorter as required.

a. Connect the green wire to pin 4 of V2 and the blue wire to pin 3 of V2

40. Twist and then route the right OPT green/white and blue/white wires to V6. They should be just long enough without having to splice them. If they are not, then you will need to splice them with a green and blue wire respectively as described in step 38. Connect the green (green/white) wire to pin 4 of V6 and the blue (blue/white) wire to pin 3 of V6

41. Twist and then route the right OPT green and blue wires to V7, trimming them shorter as required.

a- Connect the green wire to pin 4 of V7 and the blue wire to pin 3 of V7.

42. Cut two yellow wires of 12"/300mm, strip one end and pre-tin with solder.

These are the negative feedback (NFB) wires. If you have retained the original Dynaco speaker terminals, connect this yellow wire to the 16 OHM speaker terminal. If you use a 3 output speaker binding post upgrade, splice the yellow wire DIRECTLY to the OPT yellow wire.

a- Route the yellow wire neatly, trim as required, and connect to the left channel NFB pad on the CCA.

b- Repeat for the right channel NFB connection.

43. Cut four orange wires of 6"/150mm length. Strip one end a pre-tin with solder. Connect one end to pin 6 of each tube socket, V2, V3 and V6 & V7.

a- Now connect the orange wire from pin 6 on V2 to the V2-6 pad on the PCB.

b- Now connect the orange wire from pin 6 on V3 to the V3-6 pad on the PCB.

c- Now connect the orange wire from pin 6 on V6 to the V6-6 pad on the PCB.

d- Now connect the orange wire from pin 6 on V7 to the V7-6 pad on the PCB.

44. Cut two green and two blue wires of 8"/200mm length. Strip one end and pre-tin with solder.

These will be the bias measurement wires connected to the two front panel octal sockets. We have chosen pins 8, 1 and 2 on the front octal sockets, but you can choose different numbers. See photo below. If you do, make a note of which pin is for which tube.



a- Connect one blue wire to pin 1 or 8 on V2, and route it down to the left side front panel octal socket. Trim to length and connect it to pin 8. This will be the bias measuring point for power tube V2.

b- Connect one green wire to pin 1 or 8 on V3 and route it down to the left side front panel octal socket. Trim to length and connect it to pin 1. This will be the bias measuring point for power tube V3.

c- Connect pin 2 of the front left octal socket to chassis ground. Use one of those ground tags on the socket retaining ring.

d- Connect one blue wire to pin 1 or 8 on V6 and route it down to the right side front panel octal socket. Trim to length and connect it to pin 8. This will be the bias measuring point for power tube V6.

e- Connect one green wire to pin 1 or 8 on V7 and route it down to the right side front panel octal socket. Trim to length and connect it to pin 1. This will be the bias measuring point for power tube V7.

f- Connect pin 2 on the front right octal socket to chassis ground. Use one of those ground tags on the socket retaining ring.

45. We now need to feed the 6.3VAC filament supply to the three 6SN7 tubes on the driver CCA.

a- Cut two brown wires of 6"/150mm length. Strip BOTH ends and pre-tin with solder.

b- Now twist the two wires together so that you end up with a pair of twisted brown wires.

c- Solder one end of the twisted brown pair to pins 2 & 7 on V6, and then solder the other ends to the FIL pads of V5 on the CCA. See illustration below.

d- Cut two pieces of green wires of 6"/150mm length and two green wires of 4"/100mm length. Strip BOTH ends and pre-tin with solder.

e- Now twist each 6" and 4" pair of wires together.

f- Solder one end of the 6" twisted green wires to pins 2 & 7 on V3, and then solder the other ends to the inner pads of the FIL pads of V1 on the CCA.

g- Solder one end of the 4" twisted green wires to outer pair of the FIL pads of V1 on the CCA, leave the other end free for now; see photos on next page.


46. Speaker terminal connections (NOTE: If you did not remove the old Dynaco speaker terminals or any transformer wiring to them, skip this step and go to Step #47). If you opted for new speaker terminals, connect them as follows:

a- Connect the orange OPT wire to the 8 OHM post, the brown OPT wire to the 4 OHM post and the black OPT wire to the C/Ground post AND to chassis ground! This is an often a missed step in building ST-70's!

b- Cut two pieces of black wires of 10"/250mm length and strip one end.

c- Now twist the stripped end of each black wire to the stripped end of the black OPT wire together, solder and then connect them to the GROUND speaker post

d- Route the other end of the 10" black wire neatly to the chassis star ground tabs, trim as required and solder to the tabs



This completes the chassis wiring for all the tubes, OPT's, PA-060 power transformer and CCA's. At this stage, we recommend that you check over ALL wiring, then check it again. Have a friend also verify your work if uncertain. Be sure all AC wires are twisted to keep them away from other wiring as much as possible, which will lessen the chance of noise/hum pickup. Neatly route all wiring; if satisfied all is well, the last step is installing the power cord.



### **Wiring the Power Cord**

The kit comes with a 6' three-way power cord - hot/live, neutral, and ground. The color code with the supplied power cord is standard for North American NEC standard: White = NEUTRAL; Black = HOT; GREEN = GROUND.


We switch the HOT/LIVE wire via the rear power switch, through the fuse and then to one of the black primary wires of the power transformer. The NEUTRAL is directly spliced to the other black wire of the power transformer. Since there is not a marked 'phase' with the power transformer, it does not matter which of the two black wires of the power transformer connects to HOT/LIVE or NEUTRAL. The GREEN ground wire is connected to the chassis star ground. If your country uses 220, 230 or 240VAC mains, make sure your ST-70 has the special PA-060 power transformer with the dual 115V primary windings, OR you will need use a suitable step down power transformer or Variac. Use the photo's below as a guide to wiring the power cord.

47. Remove 8"/200mm of the outer insulator of the power cord to expose the three wires.

48. Place the supplied grommet into the power cord hole in the middle of the rear of the chassis.
49. Pass the power cord through the grommet, routing it behind the power transformer until enough length of the power cord is pulled through to reach the right side screw of the power transformer. See photo.
50. Use a zip tie to tightly fix the power cord to that screw, and make sure this is a tight fit so that the power cord cannot move.




51. Route the power cord's black HOT/LIVE wire behind the power transformer and solder it to the bottom tab of the power switch. We recommend that you use heat shrink to insulate the joint.
52. Cut a 9"/220mm length of blue wire, strip one end and pre-tin with solder. Connect that end to the remaining tab of the power switch. We recommend that you use heat shrink to insulate the joint.
53. Route this black wire behind the power transformer, then trim to length to reach the upper tab of the fuse holder and solder it to it. We recommend that you use heat shrink to insulate the joint.
54. Connect the longer black wire from the power transformers primary to the center tab of the fuse holder, and trim the wire as required. We recommend that you use heat shrink to insulate the joint.
55. Splice the other black wire from the power transformer's primary winding directly to the white NEUTRAL wire of the power cord. Trim as required.
56. Solder the green GROUND wire from the power cord to the chassis star ground. (Note- this may cause your amplifier to Hum due to a ground loop)





Check the power cord wiring again, making sure you did not mix up the HOT/LIVE and NEUTRAL wire connections. Check again to make sure that the power cord secured to the power transformer screw. This is it as far as the kit installation and wiring is concerned. If you are satisfied that all is well, we can start the test procedure, voltage checks, and setting the bias.



**A Completed Dyna 70 Manual Bias Ultimate Upgrade**


### **Power Up & Test of the Dyna-70 Ultimate Upgrade**

Prepare a clean bench area where you can place your ST-70 for testing and setting the bias. We find it easiest to put the chassis on its side. Use a piece of wood or similar, and put it under the right OPT to hold the chassis upright on its side. DO NOT plug any tubes in yet - we need to ensure a steady high voltage B+.

We recommend that you use at least two, and preferably three digital multimeters for testing. Use one meter and connect its black ground lead to the chassis star ground and connect its red lead to the left side of resistor R B+, ref. illustration below. We use Hirschman test lead connectors; if you do not have that style, use alligator clips. It is best to be able to clip the meter leads to the various points instead of having to hold probes on high voltage test points. Set your meter to DC high voltage, 600VDC or higher.



**Hirschman Test Lead Connector**



Manual Bias Printed Circuit Board Illustration

Refer to the paragraph **Section E, Dyna 70 Ultimate Upgrade Assembly of the the CCA heading regarding resistor R B+, Page 9** . We recommend that you measure your household main power supply voltage at a wall outlet to determine which of the three resistor values for R B+ you should use. Once again, make sure your work area is clean and that none of the meter leads are touching anything else but the points on the CCA as described above in measuring B+.

***WARNING: You are working with extremely high AC and DC voltages. From 720VAC and close to 500VDC! Take EXTREME care, these voltages are LETHAL!***

Make sure the rear power switch is **OFF**. Plug the power cord into the wall outlet. Take a deep breath and turn the amplifier on. The meter should immediately start showing voltage. Because no tubes are installed, the power supply is not loaded, you will get a much higher B+ reading than the unit normally operates. B+ can be anything up to 470VDC or more, and the -ve bias supply can be up to -60VDC or more. It should stabilize quickly and may come down a bit before stabilizing. Keep an eye out for any smoke or unusual noises... hopefully there are none.


Leave the amplifier on for a couple of minutes, the B+ should stay steady. Now disconnect the red lead from R19 and its black twin from the chassis star ground. Set your meter to read AC volts, minimum 10V. Put one meter lead on pin 2 of V2 and the other lead on pin 7 of V2. You should read approximately 6.3 VAC, or close to that value.

Now put one lead on pin 2 of V6 and the other lead on pin 7 of V6. Again, you should read approximately 6.3V AC. If you get no immediate readings on either meter after you turn on the amplifier, power it down straight away and unplug the power cord. Allow five minutes for all the capacitors to discharge and then go over all wiring again.

If all is well after a few minutes, turn the amplifier off and unplug the power cord. You will see the DC voltage start to drop. Keep the meters connected as it will take a while until all the capacitors have discharged. Leave it alone for at least five minutes. **DO NOT** touch anything until the B+ level has dropped below 5 VDC.

### **Setting Power Tube Bias**

Plug in all three 6SN7 driver tubes. Also plug in the left channel EL34's, V2 and V3. Even though the PCB is .080"/2mm thick, it can still flex when you plug in the outer 6SN7 tubes, put a finger under the socket to support the PCB so it does not flex. Next, on each bias adjust potentiometer, set the trim setting to the 50%, or about mid-point of range adjustment, ref. photo below:



### **Do Not Skip or Omit this Next Step!**

**You MUST connect a speaker or a dummy load of either 4 or 8 OHMS (Wire wound power resistor rated for a minimum of 20-25 Watts) to both left and right speaker outputs. Next, insert an RCA shorting plug into both R & L audio inputs to the amplifier.**

Connect the red lead from one digital meter to pins 1-8 on V2. Set the meter to read low DC volts, minimum 1VDC. Connect the black lead to chassis star ground.

Connect the red lead from another digital meter to pins 1-8 on V3. Set the meter to read low DC volts, minimum 1VDC. Connect the black lead to chassis star ground.

If you have a third digital meter, connect that to read B+ at resistor R B+ as shown in the previous PCB illustration. Connect its black lead to the chassis star ground. Set this meter to read high voltage DC, minimum 600VDC.

Plug the power cord in and turn the amplifier on. You should see the filaments of all the tubes illuminate. If you have a meter connected to read B+ at the left side of resistor R B+, it should hit a peak of around 440VDC, and as the two EL34 tubes start to conduct, that value will drop.

As the EL34's begin to conduct, 20-30 seconds after power on, you should see meters connected to pins 1 & 8 on V2 and V3 starting to ramp up to around 0.150 to 0.250V. This level will keep rising as the tubes warm up.

Slowly adjust the bias trimmer VRB1 clockwise until the meter reads around 0.400V. Again, this will keep rising as the tubes warm up.

Do the same trimmer adjustment for VRB2 to around 0.400V. What we are looking for is a bias reference voltage of around 0.400V for each EL34. Keep adjusting each trimmer slowly clockwise until you get close to 0.400V. Once you get close to that 0.400V mark, power down the amplifier, wait a minute or so and plug in the remaining two EL34's.

Now connect each red lead from the bias measuring meters to pins 1 & 8 of V6 & V7 respectively leaving the black leads connected to chassis star ground. Power the amplifier back up. You will now notice that B+ measured at resistor R B+ will first ramp up above 400VDC, but as all the tubes begin to conduct, it should now drop down to close to the desired 365-380VDC level, which is the desired operating level of B+.


**If B+ does not reach to around the 365V-380 VDC mark, you may need to change the value of R B+ to reach the desired voltage range.** Remove all meter leads, do a final check over, and zip tie the wires to keep them neat and tidy. When you are satisfied all is well, install the bottom cover and Tube Cage. It is now time to enjoy your 'new' Dyna-70 Ultimate Upgrade for years to come!

## Congratulations, you have completed the Dyna-70 Ultimate Upgrade to your ST-70 !

*Please remember that the CCA is 'exposed' and high voltages are within easy reach. Please exercise caution and keep children and pets away from your ST-70. If you have a Tube Cage, we encourage its use for maximum safety and to protect tubes.*

### Reference Materials

**Resistor Color Band Code**  
**5 Band Resistor Color Coding**



COLOR	1ST BAND	2ND BAND	3RD BAND	MULTIPLIER	TOLERANCE
BLACK	0	0	0	x1Ω	
BROWN	1	1	1	x10Ω	±1%
RED	2	2	2	x100Ω	±2%
ORANGE	3	3	3	x1000Ω	
YELLOW	4	4	4	x10000Ω	
GREEN	5	5	5	x100000Ω	±0.5%
BLUE	6	6	6	x1000000Ω	±0.25%
VIOLET	7	7	7	x10000000Ω	±0.10%
GREY	8	8	8		±0.05%
WHITE	9	9	9		
GOLD					±5%
SILVER					±10%

### How to read Capacitor Codes

Large capacitors have the value printed plainly on them, such as 10 uF (Ten Micro Farads) but smaller disk types along with plastic film types often have just 2 or three numbers on them.

First, most will have three numbers, but sometimes there are only two numbers. These are measured in Picofarads. An example: 47 printed on a small disk can is 47 Pico-Farads.

What about the three numbers? It is like reading resistor codes. The first two are the 1<sup>st</sup> and 2<sup>nd</sup> significant digits and the third digit is the multiplier value. Most of the time the last digit tells you how many zeros to write after the first two digits. Here are the values in a table:

Third digit	Multiplier (this times the first two digits gives you the value in Pico-Farads)
0	1
1	10
2	100
3	1,000
4	10,000
5	100,000
6 not used	
7 not used	
8	.01
9	.1

Example: A capacitor marked "104" is 10 with 4 zeros or 100,000pF which is referred to as a 0.1 uF capacitor. To confuse you more, there is a tolerance factor given by a single letter.

Example: A 103J capacitor has 10,000 pF of capacitance with +/-5% tolerance:

	Tolerance of Capacitor
D	+/- 0.5 pF
F	+/- 1%
G	+/- 2%
H	+/- 3%
J	+/- 5%
K	+/- 10%
M	+/- 20%
P	+100%, -0%
Z	+80%, -20%

Picofarad (pF)	Nanofarad (nF)	Microfarad (uF)	Code	Picofarad (pF)	Nanofarad (nF)	Microfarad (uF)	Code
10	0.01	0.00001	100	4700	4.7	0.0047	472
15	0.015	0.000015	150	5000	5.0	0.005	502
22	0.022	0.000022	220	5600	5.6	0.0056	562
33	0.033	0.000033	330	6800	6.8	0.0068	682
47	0.047	0.000047	470	10000	10	0.01	103
100	0.1	0.0001	101	15000	15	0.015	153
120	0.12	0.00012	121	22000	22	0.022	223
130	0.13	0.00013	131	33000	33	0.033	333
150	0.15	0.00015	151	47000	47	0.047	473
180	0.18	0.00018	181	68000	68	0.068	683
220	0.22	0.00022	221	100000	100	0.1	104
330	0.33	0.00033	331	150000	150	0.15	154
470	0.47	0.00047	471	200000	200	0.2	254
560	0.56	0.00056	561	220000	220	0.22	224
680	0.68	0.00068	681	330000	330	0.33	334
750	0.75	0.00075	751	470000	470	0.47	474
820	0.82	0.00082	821	680000	680	0.68	684
1000	1.0	0.001	102	1000000	1000	1.0	105
1500	1.5	0.0015	152	1500000	1500	1.5	155
2000	2.0	0.002	202	2000000	2000	2.0	205
2200	2.2	0.0022	222	2200000	2200	2.2	225
3300	3.3	0.0033	332	3300000	3300	3.3	335


### Definitions / Terms / Dictionary

CCA- Circuit Card Assembly: A complete electronic assembly consisting of a Printed Circuit Board (PCB) that is populated with passive and active electronic components, such as resistors, capacitors, diodes, inductors, transistors, microprocessor's, inputs & outputs, etc.

PCB- Printed Circuit Board (aka Printed Wiring Board, PWB): an incomplete electronic assembly, a PCB provides or routes combinations of AC and DC voltages, analog and digital signal distribution as well as hosts electronic components. A PCB is a part of a CCA but cannot perform the function of a completed CCA. PCBs provide all interconnects between components and permits location of components on either side of the PCB.



<b>Dyna-70 Ultimate Upgrade Parts List - Manual Bias</b>				
<b>Resistor</b>	<b>Value</b>	<b>Qty.</b>	<b>Type</b>	<b>Comment</b>
R1	10K 1/2W	2	Metal Film	Carbon Film Optional
R2	270K 1/2W	2	Metal Film	Carbon Film Optional
R3	1K 1/2W	2	Metal Film	Carbon Film Optional
R4, R17	100R 1/2W	4	Metal Film	Carbon Film Optional
R5	7.5K 1/2W	2	Metal Film	Carbon Film Optional
R13, R14	150K 1/2W	4	Metal Film	Carbon Film Optional
R11, R19, R20	1M 1/2W	6	Metal Film	Carbon Film Optional
R12	8R 1/2W	2	Metal Film	Carbon Film Optional
R15	36K 1/2W	2	Metal Film	Carbon Film Optional
R6, R7	30K 2W	4	Metal Oxide	
R9, R10	27K 2W	4	Metal Oxide	
R8, R16	6.8K 1W	3	Carbon Film	
RC1A&B thru RC4A&B	330K / 1W	8	Carbon Film	
R B+	2.2K, 3.3K, 4.3K / 3W	1ea.	Metal Oxide	See Manual, Pg. 9 & pg. 19
RGS1 thru RGS4	1K 1W	4	Metal Oxide	Pwr. Tube, pin 5-6, V2, 3, 6 & 7
VRB1- VRB4 Trim. Pot.	50K 1/2W	4	Trim Potentiometer	50K Bias Pot, Manual Bias PCB
R-BIAS1 thru R-BIAS4	10R 3W	4	Metal Film	10 ohm Bias Resistor
<b>Capacitor</b>				
C1A&B	100uF 400V	2	Electrolytic	A total of 6, 100uF 400V Req'd.
C4A&B	100uF 400V	2	Electrolytic	
C13	100uF 400V	2	Electrolytic	
C2A,B	180uF 400V	2	Electrolytic	
C3A,B	220uF 400V	2	Electrolytic	
C5	1uF 630V	1	Polypropylene Film	Square Film Cap
C6	100uF 350V	2	Electrolytic	
C7	220pF 400V	2	Film	
C8	0.1uF 400V	2	Polypropylene Film	Audyn*, Solen, Mundorf, PIO
C9, C10	0.22uF 400V	4	Polypropylene Film	Audyn*, Solen, Mundorf, PIO
C11, C12	100uF 160V	2	Electrolytic	
Filament Ground Caps	0.022uF 100V	2	Polyester Film	Bias Center Tap (Brn/Y & Grn/Y)
Power Switch Snap Cap	0.047 -.082uF 500V	1	Ceramic	Noise Suppression Cap
<b>Other</b>				
TH1	CL120	1	ICL	In-rush Current Limiter
U1	LM334	2	Transistor Regulator	
D1, 2 & 3	1N4004	3	Diode	SS Rectifier;
Octal Socket	8-Pin	3		Ceramic Socket for Dyna-70 PCB
Dyna-70 PCB (Man)		1	Dyna-70 v1.0 (Man)	Manual Bias PCB (Std. Kit)
Wire & Shrink Wrap				
#4 Pan Head Mach. Screw		8		Pan Head Slotted, SS, 4-40 x 7/16
#4-40 Aluminum Stand-off		4		Al 4-40, D70 PCB

\*Audyn std. equip. Coupling Cap







# DYNAKIT PA-060 POWER TRANSFORMER



- ALL LEADS 12" LT.
- USE NYLON SHOULDER WASHERS ON COVER THROUGH BOLT HOLES
- \* DENOTES CRITICAL DIMENSIONS

For your reference, above is the diagram of the PA-060 power transformer.

# DYNAKIT A-470 OUTPUT TRANSFORMER



- ALL LEADS 12" LT.
- MOUNTING HOLES (SLOTS): 1/8" x 1/8"
- \* MOUNTING HOLE CENTERS

---

For your reference, above is the diagram for the A-470 OPT (Output Transformer)



## Engineering Change Notice (ECN) 001

### LM-334 Voltage Regulator Thermal Management

Part/System: Dyna-70 Ultimate Upgrade Circuit Card Assembly (Auto. & Man. Bias configuration)

Effectivity: 3 April 2023

Priority: Optional; an upgrade to the Dyna-70 is not required

#### Introduction

This ECN addresses the operational environment of the LM-334 as utilized in the Dyna-70 Ultimate upgrade kit. As a part of our continuous product & process improvement efforts, Miller Audio LLC is recommending an assembly process change that addresses this operational impact. There is no defect or fault in the LM-334, the Dyna-70 Printed Circuit Board (PCB), the completed Dyna-70 Circuit Card Assembly, or in its design.


#### Background

Recent testing has demonstrated the LM-334 (i.e., all components in the LM134/234/334 family) exhibit thermal sensitivity (common with semiconductors) that can impart negative effects to the audio signal in the drive circuits in the 6SN7's for the left channel (V1) and right channel (V5).

This has not been an issue with Dyna-70 upgraded ST-70's where the amplifier is operated with the tube cage removed. However, from a safety standpoint regarding children, pets, or flammable objects, MALLC recommends users keep the tube cage in place during operation of the amplifier. While a Dyna-70 modified ST-70 using the tube cage will play for long periods of time, it has been noted that changes in distortion levels increase over time due to thermal heating of the LM-334, reaching an equilibrium thermal environment that degrades sound quality and stereo image in those units where users keep the tube cage in place.

#### Engineering Analysis

The Dyna-70 Ultimate Upgrade utilizes two LM-334 voltage regulators for the amplifier drive stage of the left and right channel 6SN7 tubes, V1 and V5. Adjacent to the V1 and V5 6SN7 signal tubes, are V3 and V6, the left and right EL34/6CA7 power output tubes. The LM-334 is in this corner between tubes V1 & V3 on the left side and V5 and V6 on the right side, reference Figure 1.



**Figure 1- Thermal Region of Interest with LM-334 Regulator**

MALLC investigated use of TO-92 style packages using heat sinks, however it was apparent that use of a heat sink in the Region of Interest only contributed to heating of the LM-334, where it reaches thermal equilibrium faster, not slower, inducing thermal distortion from the -334 sooner rather than later.

Additionally, while a heat sink on the TO-92 package helps remove some heat, the TO-92 package is a molded plastic body and the hermetic seal of the plastic encasing the semiconductor components itself forms a thermal barrier, reducing thermal conductivity. Despite the poor thermal transfer capability of the TO-92 package, we recommend use of a heat sink to aid in stabilizing the temperature of the overall LM-334 TO-92 package. Note the -334 is only "cooled" by the 3 metal leads of the device; the addition of the heat sink improves temperature stabilization and provides a secondary means to remove heat in the -334.

The analysis was based on the following observations and assumptions:

- Units fielded were built and operating as the original assembly instructions instructed, mounting the LM-334 on the top surface of the Dyna-70 PCB.
- No heat sink or other provisions were implemented or recommended in design during consumer and commercial life of Dyna-70 Ultimate Upgrade.
- No reports of failures LM-334 in the Dyna-70 upgrade have been received.
- MALLC recommends owners always use a tube cage on their amplifiers for safety. However, there is no way to know if in actual use and operation if a tube cage is on or off the unit. However, we assume most owners who can operate without the tube cage, will do so.

- MALLC applied a worst-case scenario and based its review and analysis work assuming a tube cage is always in place. Therefore, any solution would be optimized to be effective with the tube cage in-place.

**Action & Resolution**

MALLC in reviewing preliminary findings and reviewing technical documentation from Texas Instruments on the LM-134/234/334 family of power regulators, resolved that there are multiple options to address thermal induced distortion in the LM-334 for the Dyna-70 Ultimate Upgrade. Since this is an optional upgrade and not required to maintain amplifier function, the actions from least to most effort to implement are reviewed below.

1. Since owners of Dyna-70 Ultimate Upgrade use their ST-70 amplifier without the tube cage, they do not experience or notice any thermal distortion: Continue operation without the tube cage, however its suggested owners consider use of a small, quiet fan for improved air circulation across the Dyna-70 CCA.


2. For owners that operate their Dyna-70 Ultimate Upgrade with a tube cage, use of a small fan also helps to stir air circulation and convection cooling currents, lowering thermal distortion. This benefits both users who use a tube cage and those who do not. MALLC measured a 30F degree decrease in LM-334 temperatures using forced air cooling from the Zippy Fan vs. no force air cooling. This did not involve use of a heat sink, but the bare, top-mounted LM-334. Use of a fan permits leaving the LM-334 in its topside location, which will also extend service life of all hot components in the amplifier.



**Figure 2- Vornado Zippy Fan**

NOTE: We use and can recommend the Vornado brand Zippy cloth three- bladed personal fan, see image, Figure 2. They are available at Home Depot, Amazon, Target, etc. for approximately \$25. They feature 2-speeds and are quiet and safe to use since the blades are fabric.

3. For new builds or retrofit of the Dyna-70 Ultimate Upgrade kit in either Automatic or Manual Bias configurations, we recommend the LM-334 be mounted on the underside (backside) of the Dyna-70 PCB, reference following illustration, Figure 3.



**Figure 3- Front View Dyna-70 CCA with underside mounting of LM-334 & Heat Sink**

While this is not a complication for the Manual Bias version of the Dyna-70, the Auto Bias version will require more attention to detail during assembly since there are more wires that can snag and interfere with the LM334 and its heat sink. It is recommended the LM334 be installed after all wiring between the Dyna-70 CCA and the Auto Bias CCA has been completed allowing for insertion of the LM-334 from the bottom of the PCB and soldering from the top of the CCA, then trimming the lead excess from the top of the PC board.



It is acceptable for the heat sink to touch the ST-70 chassis, but in no way should it ever be forced into place. Also ensure that the heat sink does not contact the solder points for R12. This was not an issue in our prototype development, but if not aligned properly, it could touch one of these R12 solder locations and ground the circuit through the heat sink to the chassis. Do Not Let the heat sink touch any electrical connection points.

4. For fully assembled and operating Dyna-70 Ultimate Upgrade ST-70's, owners are encouraged to remove and retrofit the top mounted LM-334 and install on the underside of the Dyna-70 PCB. We suggest you obtain 2 new LM-334's and heat sinks rather than trying to de-solder and then re-solder the same LM-334's on the underside. Often the components experience a long heating cycle during removal that exceeds the rated thermal time-at-temperature for the device.

Users are cautioned to permit their amplifier time to cool to room temperature while ensuring that all electrolytic power capacitors have discharged. We suggest a minimum of 20-30 minutes or more to cool the amplifier and discharge the capacitors. Finally, we recommend use of an Aluminum heat sink clamp to prevent overheating of the LM-334 during soldering into the PCB, see figure 4.



**Figure 4- Heat Sink Clamp**

#5. MALLC will update the Dyna-70 Ultimate Upgrade Kit Assembly Manual to reflect this change.

#6. MALLC will post this ECN in its' website documentation pages for reference.

Miller Audio LLC reserves the right to make design changes, parts replacement, substitutions and specification revisions at any time without notice. If you have questions about these changes/updates, please contact us.

**We will not take ANY responsibility for ALL high voltage AC and DC wiring you conduct. We have described as best as we can how to make these high voltage connections.**

**You MUST take EXTREME care that no wires are shorted together, or to the chassis, or any other part of the assembly and CCA's.**

**These high voltages can be life threatening and can hurt you or others if carried out incorrectly.**

**Use your meter in the "Continuity"(Resistance) setting to make sure no high voltage wires are shorted together or to chassis ground.**

**Apart from bodily harm, incorrect high voltage wiring can and will damage components.**

**We have wired our prototype Dyna-70 Ultimate Upgrade exactly as described in this manual. We know that the Dyna-70 Ultimate Upgrade will work as designed and intended.**

If you are unsure of how to execute steps in our instructions, PLEASE contact us via email; we provide full support for all our products.

No question is stupid - the ONLY stupid question is the one you did not ask!

Enjoy your Dyna-70 Upgraded ST-70, send us pics of your build and we will gladly post on our website!

